



ASSEMBLY & INSTALLATION INSTRUCTIONS

A858

Cela Outdoor Lantern Medium & Large - 362021 & 362023



362021



362023

(shown in illustrations)



HUBBARDTON FORGE.

ASSEMBLY & INSTALLATION INSTRUCTIONS

A858

Cela Outdoor Lantern Medium & Large - 362021 & 362023

Component Parts

- A Crossbar**
- B Jam Nut**
- C Nipple**
- D Threaded Stud (2)**
- E Knurl Ball (2)**
- F Ground Screw**
- G Cupped Washer**
- H Canopy**
- I Canopy Loop**
- J Chain**
- K Fixture Loop**
- L Fixture**
- M Socket**
- N Bulb - Not Included**
- O Glass**
- P Glass Retainer**



HUBBARDTON FORGE.

ASSEMBLY & INSTALLATION INSTRUCTIONS

A858

Cela Outdoor Lantern Medium & Large - 362021 & 362023

CAUTION: FAILURE TO INSTALL THIS FIXTURE PROPERLY MAY RESULT IN SERIOUS PERSONAL INJURY OR DEATH AND PROPERTY DAMAGE. We recommend installation by a licensed electrician. This product must be installed in accordance with applicable installation code(s), by a person familiar with the construction and operation of the product and the hazards involved.*

Caution: Do not exceed maximum wattage noted on fixture. Use only recommended bulbs with fixture.


Caution: Damp location outdoor hanging fixtures are designed for use in covered spaces such as porches protected from prolonged exposure to water and wind. If installing in locations subject to wind the use of supplementary chains, cables, or similar restraints may be necessary to protect against swinging and twisting. If in doubt consult a qualified installer.

Please Note: After installation, extra hardware and accessories are possible; our kits are used on multiple products.

To Install Fixture (Figure 1)

CAUTION: BE SURE POWER IS OFF AT THE MAIN BREAKER BOX PRIOR TO INSTALLATION.

1. Carefully unpack fixture from the carton.
 2. Thread studs (D) through appropriate holes in crossbar (A) to match holes in canopy (H).
 3. Thread canopy loop (I) onto nipple (C).
 4. Thread the nipple (C) into the crossbar (A) and secure with jam nut (B).
 5. Attach one end of the chain to the fixture loop (K). Lace the wire through every other link of the chain (J) to the end.
 6. Slide canopy (H) over chain (J) until it rests against fixture (L).
 7. Fasten the chain to the canopy loop (I) and slip wires through the canopy loop (I) and nipple (C). Make sure to provide enough slack in the wire to ensure weight of fixture is supported by the chain.
 8. Using two machine screws (not provided), fasten the crossbar (A) to the electric box.
- Note:** A new electric box comes with screws. When replacing a fixture, retain the existing screws for use with the new fixture.
9. Using suitable wire connectors (not provided) connect fixture wires to supply wires (white to ribbed side of the fixture cord, black to smooth side). Using ground screw (F) and cupped washer (G) run a pigtail lead from the junction box to the crossbar and connect all ground wires.
- CAUTION: MAKE SURE WIRE CONNECTORS ARE TWISTED ON SECURELY AND NO BARE WIRE IS EXPOSED.**
10. Slide canopy (H) over threaded studs (D) and push firmly to ceiling. Fasten with knurled balls (E). Be sure studs (D) are fully seated in the knurled balls (E).
 11. Follow steps on next page to install glass.



(Figure 1)



HUBBARDTON FORGE.

ASSEMBLY & INSTALLATION INSTRUCTIONS

A858


Cela Outdoor Lantern Medium & Large - 362021 & 362023

To Install Glass (Figure 2)

1. Glass retainer (P) is shipped installed on socket (M). Remove and set aside for use in following steps.
2. Carefully unpack glass (O) from carton.
3. Slide glass (O) over socket (M) and secure with glass retainer (P).

Note: Do not overtighten as this could break glass.

4. Install bulb (not included) (N) into socket (M).
5. Restore electricity at main breaker.



If you need further assistance, or find that you are missing any parts, please contact the dealer from which you purchased this product. We hope you enjoy your fixture!

*** Hubbardton Forge will not be liable for injury or damage caused by improper installation, lamping or use of this fixture.**

(Figure 2)



HUBBARDTON FORGE.